

Product Name	SULLAIR SRF II/8000	Code	490-030, SULSRF8
	Net overfield	DSL	See Section 15
Synonym	Not available	TSCA	See Section 15
Supplier	Sullair Corporation 3700 East Michigan Boulevard Michigan City, IN 46360 USA 1-888-785-5247 (USA only) 219-879-5451 www.sullair.com	In case of Emergency	Canutec Transportation: 613-996-6666 Poison Control Centre: Consult local telephone directory for emergency number(s).
Manufacturer	PETRO-CANADA P.O. Box 2844 Calgary, Alberta T2P 3E3		
Material Uses	This fluid is used for the lubrication of air and inert gas compressors of the reciprocating, rotary screw, and rotary vane types. This compressor oil should NEVER be used in equipment compressing pure oxygen.	!	

			·	Exp	osure Limits (ACGIH)	
	Name	CAS#	% (V/V)	TLV-TWA(8 h)	STEL	CEILING
Mixture of severely hydrotreated and hydrocracked base oil (petroleum) and other proprietary, non-hazardous additives.		Mixture	100	5 mg/m³ (oil mist)	10 mg/m³ (oil mist)	Not established
Manufacturer Recommendation	Not applicable		<u> </u>	-	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Other Exposure Limits	Consult local, state, provincial	or territory au	thorities for a	acceptable exposure	limits.	

Section 3. Haza	rds Identification.
Effects	Prolonged or repeated contact may cause skin irritation, defatting, drying and dermatitis. Not expected to cause more than slight skin or eye irritation. With its relatively low vapour pressure, this product is not expected be inhaled in any appreciable quantity at ambient conditions. If heated to high temperatures or subjected to mechanical actions which produce vapours or mists, inhalation may cause respiratory tract irritation. Ingestion may produce a laxative effect. For more information refer to Section 11 of this MSDS.

Section 4. Firs	t Aid Measures
Eye Contact	No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice.
Skin Contact	Quickly and gently, blot or brush away excess chemical. Wash gently and thoroughly with water and non-abrasive soap for 5 minutes or until chemical is removed. Remove contaminated clothing, shoes and leather goods (e.g., watchbands, belts, etc.). If irritation persists, repeat flushing. Obtain medical advice immediately. Completely decontaminate clothing, shoes and leather goods before reuse or discard.
Inhalation	Remove source of contamination or move victim to fresh air. If irritation persists, obtain medical advice.
Ingestion	NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. DO NOT induce vomiting because of danger of aspirating liquid into lungs. Have victim drink 240 to 300 mL (8 to 10 oz) of water to dilute material in stomach. If vomiting occurs naturally, rinse mouth and repeat administration of water. Obtain medical attention.
Note to Physician	Not available

Continued on Next I		Available	

SULLAIR SRF II/80	00		Page Number: 2	
Section 5. Fil	Section 5. Fire-fighting Measures			
Flammability	May be combustible at high temperature.	Flammable Lim	nits Not available	
Flash Points	OPEN CUP: 222°C (432°F) (Cleveland.)	Auto-Ignition Temperature	Fire Point: 240°C (464°F)	
Fire Hazards in Presence of Various Substances	Low fire hazard. This material must be heated before ignition will occur.	Explosion Hazards in Presence of Various Substances	Do not cut, weld, heat, drill or pressurize empty container. Containers may explode in heat of fire.	
Products of Combustion	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), hydrocarbons, smoke and irritating vapours as products of incomplete combustion.			
Fire Fighting Media and Instructions	mile) in all directions. Shut off fuel to fire i withdraw from area and let fire burn out under sound from venting safety device or any disconsoray in order to prevent pressure build-up, foam, water spray or CO2. LARGE FIRE: use extinguishers may be used, and self contains	directions; also, of it is possible to ear controlled conditional conditions of tank of autoignition or exercise water spray, fogued breathing appropriate the conditions of the conditions and the conditions are conditional conditions.	d). If tank, rail car or tank truck is involved in a consider initial evacuation for 800 meters (0.5 do so without hazard. If this is impossible, itions. Withdraw immediately in case of rising due to fire. Cool containing vessels with water oplosion. SMALL FIRE: use DRY chemicals, or foam. For small outdoor fires, portable fire paratus (SCBA) may not be required. For all. Respiratory and eye protection are required	

## Section 6. Accidental Release Measures Material Release or Spill Consult current National Emergency Response Guide Book (NAERG) for appropriate spill measures if necessary. Ensure clean-up personnel wear appropriate personal protective equipment. Extinguish all ignition sources. Stop leak if safe to do so. Dike spilled material. Use appropriate inert absorbent material to absorb spilled product. Collect used absorbent for later disposal. Avoid contact with spilled material. Avoid contaminating sewers, streams, rivers and other water courses with spilled material. Notify appropriate authorities immediately.

Section 7.	Handling and Storage
Handling	Avoid contact with any sources of ignition, flames, heat, and sparks. Avoid skin contact. Avoid eye contact. Avoid inhalation of product vapours or mists. Wear proper personal protective equipment (See Section 8). Empty containers may contain product residue. Do not pressurize, cut, heat, or weld empty containers. Do not reuse containers without commercial cleaning and/or reconditioning. Personnel who handle this material should practice good personal hygiene during and after handling to help prevent accidental ingestion of this product. Properly dispose of contaminated leather articles including shoes that cannot be decontaminated.
Storage	Store in dry, cool, well-ventilated area. Keep container tightly closed. Store away from incompatible and reactive materials (See section 5 and 10).

·	reactive materials (See section 5 and 10).
Section 8. Expo	sure Controls/Personal Protection
Engineering Controls	For normal application, special ventilation is not necessary. If user's operations generate vapours or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. Make-up air should always be supplied to balance air removed by exhaust ventilation. Ensure that eyewash station and safety shower are close to work-station.
Personal Protection	
Eyes	As a minimum, safety glasses with side shields should be worn when handling this material.
Body	If this material may come in contact with the body during handling and use, we recommend wearing appropriate protective clothing to prevent contact with the skin. (Contact your PPE provider for more information.)
Respiratory	A NIOSH-approved air-purifying respirator with an organic vapour cartridge or canister with a dust, fume of mist filter (R, or P series) may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air-purifying respirators is limited. A NIOSH-approved positive-pressure, air-supplied respirator or self-contained breathing apparatus may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits.
Hands	If this material may come in contact with the hands during handling and use, we recommend wearing gloves of the following material(s): neoprene, nitrile, polyvinyl alcohol (PVA), fluoro-elastomer. Consult your PPE provider for breakthrough times and the specific glove that is best for you based on your use patterns. It should be realized that eventually any material regardless of their imperviousness, will get permeated by chemicals. Therefore, protective gloves should be regularly checked for wear and tear. At the first signs of hardening and cracks, they should be changed.
Feet	Wear appropriate footwear to prevent product from coming in contact with feet and skin.

SULLAIR SRF II/8000			Page Number: 3
Section 9. Phy	sical and Chemical Properties		
Physical State and Appearance	Viscous liquid.	Viscosity	35.6 cSt @ 40°C (104°F), 5.7 cSt @ 100°C (212°F), VI=95
Colour	Blue.	Pour Point	-36°C (-33°F).
Odour	Mild petroleum oil like.	Softening Point	Not applicable.
Odour Threshold	Not available	Dropping Point	Not applicable.
<b>Boiling Point</b>	Not available	Penetration	Not applicable.
Density	0.865 kg/L @ 15°C (59°F).	Oil / Water Dist.	Not available
Vapour Density	Not available	Ionicity (in water)	Not available
Vapour Pressure	Negligible at ambient temperature and pressure.	Dispersion Properties	,
Volatility	Not available	Solubility	Insoluble in water.

Section 10. Stat	bility and Reactivity		
Corrosivity	Copper corrosion, 3h, 100°C (ASTM D013		
Stability	The product is stable under normal handling and storage conditions.	Hazardous Polymerization	Will not occur under normal working conditions.
Incompatible Substances / Conditions to Avoid	Reactive with oxidizing agents, reducing agents, acids and alkalis.	Decomposition Products	May release COx, NOx, SOx, hydrocarbons, diphenylamine, methacrylate monomers, smoke and irritating vapours when heated to decomposition.

Section 11. Toxicologic	al Information
Routes of Entry	Skin contact, eye contact, inhalation and ingestion.
Acute Lethality	Acute toxicity information is not available for the product as a whole, therefore, data for the base oils are provided below:  Acute Oral toxicity (LD50): >5000 mg/kg (rat)  Acute Dermal toxicity (LD50): >2000 mg/kg (rabbit)  Acute Inhalation toxicity (LC50): >2500 mg/m³/4h (rat)
Chronic or Other Toxic Effec	
Dermal Route:	Prolonged or repeated contact may defat and dry skin, and cause dermatitis. Short-term exposure is expected to cause only slight irritation, if any.
Inhalation Route:	With its relatively low vapour pressure, this product is not expected be inhaled in any appreciable quantity at ambient conditions. If heated to high temperatures or subjected to mechanical actions which produce vapours or mists, inhalation may cause respiratory tract irritation.
Oral Route:	Ingestion of this product may lead to aspiration of the liquid, especially if vomiting occurs. This may result in chemical pneumonitis (inflammation of the lungs) and/or pulmonary edema (an accumulation of fluid in the lungs). May produce a laxative effect.
Eye Irritation/Inflammation:	Short-term exposure is expected to cause only slight irritation, if any.
Immunotoxicity:	Not available
Skin Sensitization:	Contact with this product is not expected to cause skin sensitization, based upon the available data and the known hazards of the components.
Respiratory Tract Sensitization:	Contact with this product is not expected to cause respiratory tract sensitization, based upon the available data and the known hazards of the components.
Mutagenic:	This product is not known to contain any components at >= 0.1% that have been shown to cause mutagenicity. Therefore, based upon the available data and the known hazards of the components, this product is not expected to be a mutagen.
Reproductive Toxicity:	This product is not known to contain any components at >= 0.1% that have been shown to cause reproductive toxicity. Therefore, based upon the available data and the known hazards of the components, this product is not expected to be a reproductive toxin.
Teratogenicity/Embryotoxicity:	This product is not known to contain any components at >= 0.1% that have been shown to cause teratogenicity and/or embryotoxicity. Therefore, based upon the available data and the known hazards of the components, this product is not expected to be a teratogen/embryotoxin.
Carcinogenicity (ACGIH):	This product is not known to contain any chemicals at reportable quantities that are listed as Group A1 or A2 carcinogens by ACGIH.
Carcinogenicity (IARC):	This product is not known to contain any chemicals at reportable quantities that are listed as Group 1, 2A, or 2B carcinogens by IARC.
Continued on Next Page	Available in French

SULLAIR SRF II/8000	Page Number: 4
Carcinogenicity (NTP):	This product is not known to contain any chemicals at reportable quantities that are listed as carcinogens by NTP.
Carcinogenicity (IRIS):	This product is not known to contain any chemicals at reportable quantities that are listed as carcinogens by IRIS.
Carcinogenicity (OSHA):	This product is not known to contain any chemicals at reportable quantities that are listed as carcinogens by OSHA.
Other Considerations	No additional remark.

Environmental Fate	Not available	Persistance/ Not available Bioaccumulation Potential	
BOD5 and COD	Not available	Products of Not available Biodegradation	

Section 13. Di	sposal Considerations
Waste Disposal	Spent/ used/ waste product may meet the requirements of a hazardous waste. Consult your local or regional authorities. Ensure that waste management processes are in compliance with government requirements and local disposal regulations.

Section 14. Tra	nsport Information		
TDG Classification	Not a hazardous material for transport according to the TDG Regulations. (Canada)	Special Provisions for Transport	Not applicable.

Section 15. Reg	gulatory Information					
Other Regulations	This product is acceptable for use under the provisions of WHMIS-CPR. All components of this formulation are listed on the CEPA-DSL (Domestic Substances List).					
	All components of this formulation are listed on the US EPA-TSCA Inventory.					
	All components of this formulation are listed on EINECS or exempt.					
	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.					
	Please contact Product Safety for more in					
DSD/DPD (Europe)	Not classified under the Dangerous Substances or Dangerous Preparations Directives.	HCS (U.S.A.)	Does not meet the definitions of a health or physical hazard according to the OSHA - Hazard Communication Standard. (United States)			
ADR (Europe) (Pictograms)	NOT EVALUATED FOR EUROPEAN TRANSPORT	DOT (U.S.A)	Not evaluated for transport			
	NON ÉVALUÉ POUR LE TRANSPORT EUROPÉEN.	(Pictograms)	Non évalué pour le transport			
HMIS (U.S.A.)	Health Hazard 1 NFPA (U	· · · · · · · · · · · · · · · · · · ·	Hazard Rating 0 Insignificant eactivity 1 Slight 2 Moderate			
	Personal Protection B	Spe	ceific hazard 3 High 4 Extreme			

## Section 16. Other Information Available upon request. References \* Marque de commerce de Petro-Canada - Trademark Glossary ACGIH - American Conference of Governmental Industrial Hygienists HCS - Hazardous Communication System ADR - Agreement on Dangerous goods by Road (Europe) ASTM - American Society for Testing and Materials HMIS - Hazardous Material Information System IARC - International Agency for Research on Cancer BOD5 - Biological Oxygen Demand in 5 days CAS - Chemical Abstract Services IRIS - Integrated Risk Information System LD50/LC50 - Lethal Dose/Concentration kill 50% CEPA - Canadian Environmental Protection Act LDLo/LCLo - Lowest Published Lethal Dose/Concentration CERCLA - Comprehensive Environmental Response, Compensation NFPA - National Fire Prevention Association and Liability Act NIOSH - National Institute for Occupational Safety & Health CFR - Code of Federal Regulations NPRI - National Pollutant Release Inventory CHIP - Chemical Hazard Information and Packaging Approved Supply NSNR - New Substances Notification Regulations (Canada) Continued on Next Page Available in French

SULLAIR SRF II/8000 Page Number: 5 List NTP - National Toxicology Program COD - Chemical Oxygen Demand OSHA - Occupational Safety & Health Administration CPR - Controlled Products Regulations PEL - Permissible Exposure Limit DOT - Department of Transportation (U.S.A.) RCRA - Resource Conservation and Recovery Act DSCL - Dangerous Substances Classification and Labeling (Europe) SARA - Superfund Amendments and Reorganization Act DSD/DPD - Dangerous Substance or Dangerous Preparations STEL - Short Term Exposure Limit (15 minutes) Directives (Europe) TDG - Transportation Dangerous Goods (Canada) DSL - Domestic Substance List (Canada) TDLo/TCLo - Lowest Published Toxic Dose/Concentration EEC/EU - European Economic Community/European Union TLV-TWA - Threshold Limit Value-Time Weighted Average EINECS - European Inventory of Existing Commercial Chemical TLm - Median Tolerance Limit Substances TSCA - Toxic Substances Control Act EPCRA - Emergency Planning And Community Right-To-Know Act USEPA - United States Environmental Protection Agency FDA - Food and Drug Administration USP - United States Pharmacopoeia FIFRA - Federal Insecticide, Fungicide, and Rodenticide Act WHMIS - Workplace Hazardous Material Information System **Information Contact** Prepared by Petro-Canada Product Safety - JDW on 3/30/2006. **Sullair Corporation** 3700 East Michigan Boulevard Michigan City, IN 46360 Data entry by Petro-Canada Product Safety - DSR. **USA** 1-888-785-5247 (USA only) 219-879-5451 www.sullair.com For additional product safety information, contact Petro-Canada **Product Safety at:** (905) 804-4752

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.